





colossal

Specially crafted to perfection, this distinctive design is for classic or colonial interior designs. All metal plates are available with a rope-edged, stepped or plain design in brass, bronze or chrome finishes.



Luxurious looking metal plate with old fashioned style and flavour



Classic rope edged plate design



Double earth terminals for safer sockets



Colour coded wiring connections for quick and safe installations



CME8501USB-WPB
1 Gang USB Power Charger




CME2021-250-PB
250W 230V 1 Gang 1 Way Dimmer



CME8911-BLPB
1 Gang TV Socket



CME8921PC-BLPB
1 Gang RJ45 Data Cat.5e Socket




GE8513SD-BBZ
13A 2 Gang Switched Socket



GE2C-DMB
10A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator



GE203-2-AZ
10A 3 Gang 2 Way Toggle Switch





GE6813FSL-BBZ
13A Switched Fuse Connection Unit with neon


Switches

Product	Model No.	Description	Remarks
	CME201 CME201-2 CME2101 CME2101-2 CME2130	10A 1 Gang 1 Way Toggle Switch 10A 1 Gang 2 Way Toggle Switch 6A 1 Gang 1 Way Toggle Switch 6A 1 Gang 2 Way Toggle Switch 10A 1 Gang Toggle Intermediate Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME202 CME202-2 CME2102 CME2102-2	10A 2 Gang 1 Way Toggle Switch 10A 2 Gang 2 Way Toggle Switch 6A 2 Gang 1 Way Toggle Switch 6A 2 Gang 2 Way Toggle Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME203 CME203-2 CME2103 CME2103-2	10A 3 Gang 1 Way Toggle Switch 10A 3 Gang 2 Way Toggle Switch 6A 3 Gang 1 Way Toggle Switch 6A 3 Gang 2 Way Toggle Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME204 CME204-2 CME2104 CME2104-2	10A 4 Gang 1 Way Toggle Switch 10A 4 Gang 2 Way Toggle Switch 6A 4 Gang 1 Way Toggle Switch 6A 4 Gang 2 Way Toggle Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2115 CME2111A CME2111A-2 CME2171 CME2120A	6A 1 Gang Intermediate Switch 6A 1 Gang 1 Way Switch 6A 1 Gang 2 Way Switch 6A 1 Gang 1 Way Switch 20A 1 Gang DP Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME220	20A 1 Gang DP Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME220L CME232L	20A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2220L	20A 1 Gang DP Switch with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2112A CME2112A-2 CME2172 CME2172-2	6A 2 Gang 1 Way Switch 6A 2 Gang 2 Way Switch 6A 2 Gang 1 Way Switch 6A 2 Gang 2 Way Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2512 CME2512-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


Switches

Product	Model No.	Description	Remarks
	CME2113A CME2113A-2 CME2173 CME2173-2	6A 3 Gang 1 Way Switch 6A 3 Gang 2 Way Switch 6A 3 Gang 1 Way Switch 6A 3 Gang 2 Way Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2513 CME2513-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2114 CME2114-2	6A 4 Gang 1 Way Switch 6A 4 Gang 2 Way Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2514 CME2514-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2516 CME2516-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2145	45A 1 Gang DP Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME2145L	45A 1 Gang DP Switch with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME2145D	45A 1 Gang DP Switch (146 type)	Nominal plate size: 153×94 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME2145DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size: 153×94 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME2148	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Switches

Product	Model No.	Description	Remarks
	CME2148L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10


Retractive Switches

Product	Model No.	Description	Remarks
	CME2118	6A 1 Gang Bell Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2510	10A 1 Gang Bell Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2561 CME2561-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2562 CME2562-2	10A 2 Gang 1 Way Retractive Switch 10A 2 Gang 2 Way Retractive Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2563 CME2563-2	10A 3 Gang 1 Way Retractive Switch 10A 3 Gang 2 Way Retractive Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2564 CME2564-2	10A 4 Gang 1 Way Retractive Switch 10A 4 Gang 2 Way Retractive Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2566 CME2566-2	10A 6 Gang 1 Way Retractive Switch 10A 6 Gang 2 Way Retractive Switch	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Dimmers

Product	Model No.	Description	Remarks
	CME2021-250	250W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps.
	CME2021-2-250	250W 230V 1 Gang 2 Way Dimmer (push on / off)	
	CME2021-400	400W 230V 1 Gang Dimmer (rotate on / off)	
	CME2021-2-400	400W 230V 1 Gang 2 Way Dimmer (push on / off)	
	CME2022-250	250W 230V 2 Gang Dimmer (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps.
	CME2022-2-250	250W 230V 2 Gang 2 Way Dimmer (push on / off)	
	CME2022-400	400W 230V 2 Gang Dimmer (rotate on / off)	
	CME2022-2-400	400W 230V 2 Gang 2 Way Dimmer (push on / off)	
	CME2023-250	250W 230V 3 Gang Dimmer (rotate on / off)	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps.
	CME2023-2-250	250W 230V 3 Gang 2 Way Dimmer (push on / off)	
	CME2023-400	400W 230V 3 Gang Dimmer (rotate on / off)	
	CME2023-2-400	400W 230V 3 Gang 2 Way Dimmer (push on / off)	
	CME2024-250	250W 230V 4 Gang Dimmer (rotate on / off)	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps.
	CME2024-2-250	250W 230V 4 Gang 2 Way Dimmer (push on / off)	
	CME2024-400	400W 230V 4 Gang Dimmer (rotate on / off)	
	CME2024-2-400	400W 230V 4 Gang 2 Way Dimmer (push on / off)	
	CME211-M2	630W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps.
	CME211-1KM2	1000W 230V 1 Gang Dimmer (rotate on / off)	

Fan Controls

Product	Model No.	Description	Remarks
	CME2021-LV250	250VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans.
	CME2021-LV400	400VA 230V 1 Gang Fan Control (rotate on / off)	
	CME211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans.
	CME2022-LV400	400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans.
	CME2023-LV250	250VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with fans.





Fan Controls

Product	Model No.	Description	Remarks
	CME2024-LV250	250VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1 Only for use with fans.


BS Sockets

Product	Model No.	Description	Remarks
	CME8902	2A 1 Gang Unswitched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8905	5A 1 Gang Unswitched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8913A	13A 1 Gang Unswitched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8913SA	13A 1 Gang Switched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8813SL CME8913SL	13A 1 Gang Switched Socket with neon 13A 1 Gang Switched Socket with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8915	15A 1 Gang Unswitched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8515S	15A 1 Gang Switched Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8515SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


BS Sockets

Product	Model No.	Description	Remarks
	CME8913SDA	13A 2 Gang Switched Socket	Nominal plate size: 155×95 mm
	CME8913SD-PA	13A 2 Gang Switched Socket	Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8913SDL	13A 2 Gang Switched Socket with neon	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8913DA	13A 2 Gang Unswitched Socket	Nominal plate size: 155×95 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1
	CME8913RCD1N	13A 1 Gang Socket with RCD (non-latching)	Nominal plate size: 155×95 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Schuko

Product	Model No.	Description	Remarks
	CME827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Universal Sockets

Product	Model No.	Description	Remarks
	CME818	10A 1 Gang 2 Pin + Earth Universal Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Audio and Video Products

Product	Model No.	Description	Remarks
	CME2-V	1 Gang Volume Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Multimedia Products

Product	Model No.	Description	Remarks
	CME8501USB	1 Gang USB Power Charger	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8921PC	1 Gang RJ45 Cat.5e Data Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME801TV	1 Gang TV Socket with surge protection	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8911	1 Gang TV Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8912	2 Gang TV Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8909	1 Gang Sat. TV Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8901-4TU CME8901-6TU CME8923PC	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


Multimedia Products

Product	Model No.	Description	Remarks
	CME8901TM CME8901TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME8543-TM CME8543-TS	1 Gang Quadruplex Socket (Sat+TV+FM+BT Master Telephone) 1 Gang Quadruplex Socket (Sat+TV+FM+BT Secondary Telephone)	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME8542-TM CME8542-TS	1 Gang Triplex Socket (TV+FM+BT Master Telephone) 1 Gang BT Secondary Telephone Socket	Nominal plate size: 155×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1


Other Products and Accessories

Product	Model No.	Description	Remarks
	CME1101	1 Gang Blank Plate	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME1101D	2 Gang Blank Plate	Nominal plate size: 155×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME6913FSLA	13A Switched Fused Connection Unit with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME6913FSLFO	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


Other Products and Accessories

Product	Model No.	Description	Remarks
	CME6813FS	13A Switched Fused Connection Unit	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME6913FSA	13A Switched Fused Connection Unit	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2517 CME2527	10A 1 Gang Fan Switch with lock 10A 1 Gang Fan Switch	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME2-LIR	1000W 230V IR Motion Detector with fire control outlet	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME2-LSC CME2-SC	500W 230V Voice Activated Switch with time delay + fire control outlet 100W 230V Voice Activated Switch with time delay	Nominal plate size: 95×95 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	CME6913FA	13A Fused Connection Unit	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	CME6913FL	13A Fused Connection Unit with neon	Nominal plate size: 95×95 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


Georgian




Victorian



Bevel



Step



Product Code Rules

Colossal

CM E 8913 S L - B PB

Finishes	1
Interior color	2
With neon or not	3
Switched	4
Rocker and rating	5
Edge design	6
Collection design	7

Notes:

¹ Standard Colours: PB, PC .

² Non-standard Colours: SS, PN, BN, BZ, MBR .

For standard colours lead time is up to 45 days.

Available Options ¹

	1	2	3	4	5	6	7
SS	Sand Stainless	B	L	S	8913	E	CM B
PB	Polished Brass	Brown Interior	with Neon	with Switch	Hollow Rocker 13A	Georgian Edge	Colossal Alpine/Exclusif
PC	Polished Chrome	W	Blank	Blank	8915	C	G H
PN	Pearl Nickel	White Interior	without Neon	without Switch	Hollow Rocker 15A	Step Edge	Ultimate Dazzle
BN	Black Nickel	BL			8813	S	GC E
BZ	Black Bronze	Black Interior			Solid Rocker 13A	Bevel Edge	Titanium Unique
MBR	Matt Brass					L	DK M
						Victorian Edge	Radiance Metalclad
							R P
							Classy Armor
						W	

Notes:

* All illustrations and descriptions are only for guidance.

* The colour and product photos you see in this brochure may vary from actual products.

* T&J Electric reserves the right to change specifications and designs without notices.

* For more details, please contact our salesman.

* Use dry soft cloth to clean the surface of the products. Cleaning agents may damage the finish.