



Weatherproof boxes with a safe reliable design that provides weather resistant operation. The switches and sockets are safe to use outdoors or near water.





Two ingress protection ratings available: IP55 or IP66




Weatherproof / dust resistant performance with a safe reliable design




Prefinished and constructed from ultra-violet radiation resistant material

Switches and sockets are safe to use outdoors or near water








P8213S
IP55 13A 1 Gang switched Socket






Compatible with our versatile Icon and Deco modules






Switches

Product	Model No.	Description	Remarks
	P3131 P3131-2 P3115 P3120	IP55 10A 1 Gang 1 Way Switch IP55 10A 1 Gang 2 Way Switch IP55 10A 1 Gang Intermediate Switch IP55 20A 1 Gang DP Switch	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1
	P3120L	IP55 20A 1 Gang DP Switch with neon	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1
	P3132 P3132-2	IP55 10A 2 Gang 1 Way Switch IP55 10A 2 Gang 2 Way Switch	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1
	P3133 P3133-2	IP55 10A 3 Gang 1 Way Switch IP55 10A 3 Gang 2 Way Switch	Nominal plate size: 110×91 mm Pack (carton / box): 10 / 1
	P3231 P3231-2 P3220	IP66 10A 1 Gang 1 Way Switch IP66 10A 1 Gang 2 Way Switch IP66 20A 1 Gang DP Switch	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1
	P3232-2	IP66 10A 2 Gang 2 Way Switch	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1


BS Sockets

Product	Model No.	Description	Remarks
	P8213	IP55 13A 1 Gang Unswitched Socket	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1
	P8213S	IP55 13A 1 Gang Switched Socket	Nominal plate size: 110×91 mm Pack (carton / box): 10 / 1
	P8213D	IP55 13A 2 Gang Unswitched Socket	Nominal plate size: 151×96 mm Pack (carton / box): 50 / 1

BS Sockets

Product	Model No.	Description	Remarks
	P8213SD	IP55 13A 2 Gang Switched Socket	Nominal plate size: 151×96 mm Pack (carton / box): 50 / 1
	P8223	IP66 13A 1 Gang Unswitched Socket	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1
	P8223D	IP66 13A 2 Gang Unswitched Socket	Nominal plate size: 151×126 mm Pack (carton / box): 20 / 1
	P8223SD	IP66 13A 2 Gang Switched Socket	Nominal plate size: 151×126 mm Pack (carton / box): 20 / 1
	P8225S	IP66 15A 1 Gang Switched Socket	Nominal plate size: 110×118mm Pack (carton / box): 40 / 1




Retractive Switches

Product	Model No.	Description	Remarks
	P3131-B	IP55 10A 1 Gang Bell Switch	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1
	P3231-B	IP66 10A 1 Gang Bell Switch	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1

Accessories

Product	Model No.	Description	Remarks
	E8491 E8491A P1211*	IP55 1 Module Box IP55 2 Module Box IP55 2 Module Box (for Deco Modules)	Nominal plate size: 91×84 mm Pack (carton / box): 50 / 1 For use with Deco Modules*

Accessories

Product	Model No.	Description	Remarks
	E11091	IP55 3 Module Box	Nominal plate size: 110×91 mm Pack (carton / box): 10 / 1
	E118110 P1201*	IP66 2 Module Box IP66 2 Module Box (for Deco Modules)	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1 For use with Deco Modules*
	P8223FS	IP66 13A Switched Fused Connection Unit	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1
	P8223FF0	IP66 13A Fused Connection Unit with flex outlet	Nominal plate size: 110×118 mm Pack (carton / box): 40 / 1



P8225S
IP66 15A 1 Gang switched Socket



P3231-B
IP66 Bell Switch



P3131
IP55 10A 1 Gang 1 Way Switch