

NSI



LIGHTNING PROTECTION SYSTEM | 防雷系统

EARTHING SYSTEM | 接地系统

ELECTRICAL ACCESSORIES | 电器配件



AIR TERMINAL

Material Aluminium / Copper
Model Al-300-16 / Cu-300-16
Diameter 16mm
Height 300mm
Custom height available



CONDUCTING TAPE

Material Aluminium / Copper
Model Al-253 / Cu-253
Width 25mm
Thickness 3mm



TAPE CLIP & SADDLE

Material Aluminium / Copper Alloy
Model Al-315 / Br-315
Tape Size 25 x 3mm



SQUARE TEST & JUNCTION CLAMP

(Tape to Cable)
Material Gunmetal
Model GM-SQ
Tape Size 25 x 3mm
Cable Size up to 70mm²



OBLONG TEST CLAMP

Material Copper Alloy
Model Br-OBL
Tape Size 25 x 3mm
 25 x 6mm



CABLE CLIP & SADDLE

Material Aluminium / Copper Alloy
Model CS-Al / CS-Br
Cable Size 16, 25, 35, 50, 70mm²




BIMETALLIC CONNECTOR

Material Aluminium & Copper
Model BI-20
Tape Size 25 x 3 mm



PIPE BONDING CLAMP

Material Copper Alloy
Model BC-1246
Diameter 1", 2", 3", 4", 6", 8", 10", 12"
Custom size available



SADDLE ROOF U CLIP

Material Aluminium/Copper Alloy
Model SRU-Al / SRU-Br
Custom size available



SADDLE ROOF SEMI CIRCLE CLIP

Material Aluminium / Copper Alloy
Model SRSC-Al / SRSC-Br
Custom made to roof tile




AIR TERMINAL FIXING BASE (flat)

Material Aluminium / Copper Alloy
Model Al-16 / GM-16
Diameter 3/4"



AIR TERMINAL FIXING BASE (slant)

Material Aluminium / Copper Alloy
Model ALS-16 / GMS-16
Diameter 3/4"



SQUARE TEST & JUNCTION CLAMP *(Tape to Tape)*

Material Aluminium / Copper Alloy
Model Al-SQ / Br-SQ
Tape Size 25 x 3mm



ROUND TEST & JUNCTION CLAMP

Material Gunmetal
Model GM-R
Tape Size 25 x 3mm



HEAVY DUTY TAPE SADDLE

Material Aluminium / Copper Alloy
Model HDTS-Al / HDTS-Br
Tape Size 25 x 3mm



B-BOND

Material Aluminium / Gunmetal
Model Al-25 / GM-25
Tape Size 25 x 3mm




COPPER-COPPER BI CONNECTOR

Material Copper
Model BI-Cu2
Tape Size 25 x 3mm



TEST LINK BOX

Material Aluminium (Cover)
 Galvanised Steel (Box)
Model TLB-125
Size 125x125x40mm



STRIKE PAD

Material Copper Alloy
Diameter 100mm
Thread 3/8"
Optional rod and base



SADDLE ROOF L CLIP

Material Aluminium / Copper Alloy
Model SRL-Al / SRL-Br
Custom made to roof tile



EARTH ROD DRIVING STUD

Material Harden Steel
Rod Size 5/8", 3/4"



EARTH ROD SPIKE

Material Copper Alloy
Rod Size 5/8", 3/4"



EARTH ROD

Material Copper Bonded Steel
Model ER-586
Diameter 5/8", 3/4"



EARTH ROD END CAP

Material Copper Alloy
Model Screw On / Slot On
Rod Size 5/8", 3/4"



EARTH ROD COUPLING

Material Copper Alloy
Model AB-70
Rod Size 5/8", 3/4"



ROD TO CABLE LUG CLAMP

Material Copper Alloy
Model RCLC
Rod Size 5/8", 3/4"



COPPER EARTH PLATE

Material Copper
Size 1000x1000x3mm
Custom size available



A CLAMP (Rod to Tape)

Material Copper Alloy
Model A-RT
Rod Size 5/8", 3/4"
Tape Size 2 (25 x 3 mm)



B CLAMP (Rod to Cable)

Material Copper Alloy
Model B-RC 16-25/50/70
Rod Size 5/8", 3/4"
Cable Size 16-25, 50, 70 mm²
Custom cable size available



CABLE TO ROD TAPE CLAMP

Material Copper Alloy
Rod Size 5/8", 3/4"
Cable Size 16-25, 50, 70 mm²
Tape Size 2 (25 x 3 mm)




TAPE TO ROD TO TAPE CLAMP

Material Copper Alloy
Rod Size 5/8", 3/4"
Tape Size 2 (25 x 3 mm)



A CLAMP

Material Copper Alloy
Rod Size 5/8", 3/4"
Tape Size 2 (25 x 3 mm)



EARTH INSPECTION PIT

Material Hi Grade Polymer
Model 99-PC (Cover)
 99-PB (Base)




EARTH INSPECTION PIT

Material Hot Dip Galvanised Steel (Cover)
 Hi Grade Polymer (Box)
Model 99-66 (Cover) / 99-PB (Base)



EARTH INSPECTION PIT

Material Hot Dip Galvanised Steel (Cover / Frame)
 Hi Grade Polymer (Box)
Model 99-66
Size 9x9", 6x6"



EARTH ROD WATER PROOF SEALS

Material Hi Grade Polymer
Model WPS-1
 WPS-2
Rod Size 16mm
Custom size available




EARTH INSPECTION PIT

Material Concrete
Model Square
Size 250 x 250 x 230 mm



COPPER EARTH BUSBAR

Material Tinned Copper
Type 25 x 6 mm
Way 4, 6, 8, 10, 12 Way
Custom no. of ways available



COPPER NEUTRAL BUSBAR

Material Tinned Copper
Type 25 x 6 mm / 50 x 6 mm
Way 4, 6, 8, 10, 12 Way
Optional Mounting Bracket
Custom no. of ways available
Custom size available



U BOLT CLAMP

Material Copper Alloy
Model UBC-2 / UBC-3
Rod Size 3/8" / 1/2"
Conductor 25 x 3-6 mm / 16 - 95 mm²
Custom size available



REBAR TO REBAR CLAMP

Material High Tensile Steel
Model RTR-2
Rebar Size T13 - 32
Custom size available



EARTH BOSS

Material Carbon Steel
 Stainless Steel
Size 50 x 50 / 40 x 40 mm
Custom size/material available



COPPER EARTH CLIP

Material Copper
Pipe Size 16, 20, 25, 32mm
 1/2" - 2"
Custom size available



CD SHELTER KO BOX

Material Hot Dipped Galvanised /
 Stainless Steel
Type 1-Gang
 2-Gang
** PSB Certified*



CD SHELTER KO BOX

Material Hot Dipped Galvanised
Model 2G+1G+2G
Custom combinations available



G.I. KO BOX

Material Galvanised Steel /
Type 1-Gang
 2-Gang
Spec BS4662



KO BOX EXTENSION RING

Material Galvanised Steel
Depth 16 / 25 / 35 mm



PIPE SADDLE

Material Hot Dipped Galvanised /
 Galvanised Steel
Type Half or Full
Pipe Diameter 3/8", 1/2", 3/4", 1"
 1 1/4", 1 1/2"
 20mm, 25mm



BOX COVER

Material Hot Dipped Galvanised /
 Galvanised Steel
Type Round
 1-Gang
 2-Gang



G.I. DOME COVER

Material Galvanised Steel
Size 20mm, 3/4", 1"
Spec BS 4568



G.I. BALL & SOCKET

Material Galvanised Steel
Size 20mm
 3/4", 1"
Spec BS 4568



PVC BUSH

Material PVC
Size 3/4", 1", 1 1/4"



FIXING SCREWS

Material Chromed Steel
Type 2BA x 5, 8, 10mm
 4BA x 12mm
 M4 x 6, 8, 12mm



TRUNKING EARTH LINK

Material Copper
*Adjustable to fix all types of cable
 trunking / tray*



Z BRACKET

Material Galvanised Steel
Height 2", 2 1/2", 3", 4"
Custom sizes available



BIMETALLIC CABLE LUG

Material Aluminium & Copper
Size 16mm² - 630mm²
Spec EMA requirement



HIGH TENSION CABLE CLAMP

Material Aluminium Alloy
Diameter 30-40, 40-50, 50-60 mm
 60-70, 70-80, 80-90 mm
 90-100 mm



STATIC EARTH RECEPTACLE

Material Gunmetal
Stem Diameter 10.7mm (70mm²)



FOUR HOLE EARTH POINT

Material Copper Alloy
Stem Diameter 10.7mm (70mm²)
Length 75mm



EXOTHERMIC CONNECTIONS

Material Solid copper molecular bonds
Type All types of connections available
Prefabricated joints available



EXOTHERMIC CONNECTION KIT

- 1 Mould
- 2 Handle Clamp
- 3 Flint
- 4 Welding Powder
- 5 Steel Disc



EXOTHERMIC POWDER

Size 65, 90, 115, 150, 200
Other sizes on request




GROUND ENHANCEMENT MATERIAL


Weight 25lbs
Application Use for achieving lower earth electrode resistance

EXOTHERMIC CONNECTIONS


CABLE to CABLE / ROD



CABLE / ROD to RECEPTACLE / EARTH POINT



CABLE / REBAR to FLAT TAPE



SOLDER PASTE

Weight 250g
Application Use for soft soldering of copper



A+B EPO PUTTY

Weight 500g
Application Use for bonding of steel and concrete materials



DUCTSEAL

Weight 250g
Application Use for sealing out moisture & air to prevent oxidation & corrosion



WEATHERPROOF SWITCH SOCKET

Model #8399
Type 1-Gang
Rating 13A / 250V / IP66



CAT LADDER BRACKET


Material Aluminium Alloy
Model various



CABLE MARKER

Material Aluminium Alloy
Custom wordings available

CAT LADDER BRACKETS





16A CABLE CONNECTOR (SMALL)

Model BC - 2.5
Voltage 250V
Current 16A
Cable 2.5mm²



16A CABLE CONNECTOR (BIG)

Model BC - 2.5
Voltage 250V
Current 16A
Cable 2 x 2.5mm²



16A 3W2 CABLE CONNECTOR

Model BC - 6
Voltage 250V
Current 16A
Cable 2.5mm²



16A 3W2-1 CABLE CONNECTOR

Model BC - 321
Voltage 250V
Current 16A
Cable 2.5mm²



16A 4W2 CABLE CONNECTOR

Model BC - 8A
Voltage 250V
Current 16A
Cable 2.5mm²



16A 4W2-1 CABLE CONNECTOR

Model BC - 421
Voltage 250V
Current 16A
Cable 2.5mm²



NEUTRAL/EARTH LINK

Material Copper Alloy
Type Neutral / Earth
Cable Size 10, 16, 25, 35 mm²

Custom sizes available



CLIP ON CONNECTOR (1 to 1)

Model C-ON-1
Voltage 230 / 415 V
Current 60A
Cable In: 25mm²
 Out: 25mm²



TERMINAL CONNECTOR (1 to 2)

Model TC - 122
Voltage 230 / 415 V
Current 60A
Cable In: 1 x 25mm²
 Out: 2 x 16mm²



TERMINAL CONNECTOR (1 to 4)

Model TC - 124
Voltage 230 / 415 V
Current 60A
Cable In: 1 x 25mm²
 Out: 4 x 16mm²



TERMINAL CONNECTOR (2 to 3)

Model TC - 223
Voltage 230 / 415 V
Current 100A
Cable In: 2 x 35mm²
 Out: 3 x 16mm²




TERMINAL CONNECTOR (1 to 3)

Model TC - 444
Voltage 230 / 415 V
Current 60A
Cable In: 1 x 25mm²
 Out: 3 x 25mm²



TERMINAL CONNECTOR (1 to 4)

Model TC - 555
Voltage 230 / 415 V
Current 100A
Cable In: 1 x 50mm²
 Out: 4 x 35mm²



MCB BUSBAR

Material Copper with insulating PVC
Model 1-pole, 2-pole, 3-pole, 4-pole
Type Pin 'T' / Fork 'U'
Rating 100A

NSI

新星光工業私人有限公司

NEW STARLIGHT INDUSTRIES PTE. LTD.

No. 3, Kaki Bukit Road 1, #B1-03, Eunos Technolink, Singapore 415935

Tel: (65) 6747 7001, (65) 6747 8774 Fax: (65) 6743 1790

Website: www.newstarlight.com Email: sales@newstarlight.com